नेपाली सेना

प्रा.उ.से.सैनिक उपचारीका (खुला) पदको लिखित परीक्षाको पाठ्यक्रम

समय : २ घण्टा ३० मिनेट

पुर्णाङ्क : १०० उत्तीर्णाङ्क : ४०

यो पाठ्यक्रम नेपाली सेनाको विभिन्न ईकाईहरुमा रिक्त रहेको **प्रा.उ.से.सैनिक उपचारीका** (खुला) पदका उम्मेदवार छनौट परीक्षाको लागि निर्धारण गरिएको हो । लिखित परीक्षामा सिरक हुने उम्मेदवारहरुको पेशा सम्बन्धि विषयलाई आधारमानी प्रश्नहरु सोधिने छ ।

- (क) लिखित परीक्षाको माध्यम नेपाली/अंग्रेजी वा दुवै भाषा हुनेछ ।
- (ख) लिखित परीक्षाबाट छनौट भएका उम्मेदवारहरुलाई मात्र अर्को चरणको परीक्षामा सम्मिलित गराईने छ ।
- (ग) प्रश्न पत्र निर्माण गर्दा पाठ्यक्रममा समावेश भएका सबै विषयहरुलाई समेटिनेछ ।
- (घ) नेपाली सेनाको आवश्यकता तथा विविध परिस्थितमा नेपाली सेना अनुकुल हुने गरी उल्लेखित विवरणहरुमा हेरफेर हुन सक्नेछ ।
- (ङ) पाठ्यक्रमको रुपरेखा देहायमा उल्लेख गरे अनुसार हुनेछ ।
- (च) पाठ्यक्रम लागु मिति २०७३/१/ ६ गते ।

विषय	पूर्णाङ्क	उत्तीर्णाङ्क	परी	क्षा प्रणाली	प्रश्न संख्या x अङ्क	समय
पेशा			वस्तुगत (Objective)	बहुवैकल्पिक प्रश्न (MCQs)	४० प्रश्न x १ अङ्क = ४०	2 200
सम्बन्धी	900 80	विषयगत	छोटो उत्तर	६ प्रश्न x ४ अङ्ग = ३०	२ घण्टा ३० मिनेट	
		(Subjective)	लामो उत्तर	३ प्रश्न x १० अङ्क = ३०		

पेशा सम्बन्धी विषयको पाठ्यक्रम

(SYLLABUS FOR NURSING OFFICER)

1. Basic Nursing

- 1.1 Nursing process ad its steps: Nursing assessment, nursing diagnosis, planning, implementation and evaluation of nursing care
- 1.2 Assessment of the client's health status: History taking, physical examination, measurement of height, weight and vital signs
- 1.3 Meeting safety needs
- 1.4 Promotion of comfort, rest and sleep
- 1.5 Meeting hygiene needs
- 1.6 Meeting nutritional and elimination needs
- 1.7 Infection prevention and control measures: Hand hygiene, universal precaution, disinfection and sterilization of equipment and hospital waste management
- 1.8 Emergency conditions and their first aid management: Chocking, burn, fracture, hemorrhage, shock and poisoning

2. Nursing Concepts and Principles

- 2.1 Stress and crisis and their management
- 2.2 Pain management: Physiology, assessment and management
- 2.3 Communication and its role in nurse-client relationship
- 2.4 Nursing theories of Florence Nightingale, Orem, Virginia Henderson & Faye Abdullah
- 2.5 Concept of holistic health/ alternative therapies: Therapeutic touch, bio- feedback relaxation, meditation and yoga
- 2.6 Concept of rehabilitation and rehabilitation process
- 2.7 Rights of patients
- 2.8 Ethical and legal aspects in nursing

3. Adult Nursing

- 3.1 Developmental needs and tasks of young adult and middle aged adult
- 3.2 Life style of young adult and middle aged adult
- 3.3 Common health problem of young and middle aged adult and their management: Respiratory, GI, urinary, cardio-vascular, endocrine, musculo-skeletal, neurological, eye ENT gynae problems
- 3.4 Preoperative, operative and post-operative care
- 3.5 Nursing role in promotion and maintenance of the health of young and middle-aged adults

4. Geriatric Nursing

- 4.1 Physiological changes and common health problems of elderly people: Arteriosclerosis, myocardial infarction, hypertension, COPD, asthma, diabetes mellitus, senile cataract, glaucoma, osteoporosis and gout
- 4.2 Health promotion activities of elderly clients
- 4.3 Common cancers of elderly clients and their treatment therapies
- 4.4 Geriatric emergencies and their management: Chest pain, syncope, GI bleeding and hypothermia

5. Child Health Nursing

- 5.1 Concept of growth and development and assessment of children
- 5.2 Growth of body systems at different age groups from infancy, toddlerhood, pre-school, school age to adolescence
- 5.3 Developmental milestones and tasks
- 5.4 Promotion of optimum growth and developments of children
- 5.5 Care of new born: Immediate and subsequent care
- 5.6 Common health problems of children using system approach
- 5.7 Common psycho-social and behavioral problems of children
- 5.8 Role of nurse in the care of sick children
- 5.9 Stress of illness and hospitalization

6. Psychiatric Nursing

- 6.1 Mental health assessment: History taking and mental status examination
- 6.2 Treatment modalities for mental illnesses
- 6.3 Thought and mood disorders: Schizophrenia, depression
- 6.4 Neurotic and stress-related disorders
- 6.5 Psychiatric emergencies: Panic attacks, attempted suicide, hysterical attacks, alcohol withdrawal syndrome
- 6.6 Substance and alcohol related disorders

7. Midwifery

- 7.1 Trends and issues in midwifery
- 7.2 Concept of Family and reproductive health and related policies and strategies
- 7.3 Prenatal/antenatal care.
- 7.4 Assessment of fetal wellbeing
- 7.5 Minor and major disorders of pregnancy
- 7.6 Medical diseases associated with pregnancy: Cardiac disease, diabetes, anemia and TORCH infection
- 7.7 Health education/counseling of pregnant women
- 7.8 Pain relief measures during labor
- 7.9 Management of first, second, third and fourth stage of labor
- 7.10 Malpresentations including their diagnosis and management: Breech, shoulder, cord presentation, placenta previa and multi-fetal pregnancy
- 7.11 Obstetric emergencies and their life saving management: Intrapartum and post-partum hemorrhage, cord prolapsed and retained placenta
- 7.12 Normal puerperium and care of postnatal mother
- 7.13 Minor discomfort and major disorders of puerperium

8. Community Health Nursing

- 8.1 Concept of community and community health
- 8.2 Family and reproductive health
- 8.3 Community health assessment and diagnosis
- 8.4 Primary health care: Principles and elements.

- 8.5 Concept of disease causation and epidemiological approach in solving health problems
- 8.6 Levels of diseases prevention and modes of intervention
- 8.7 Family planning program and nursing responsibilities
- 8.8 National immunization policy and program
- 8.9 Nutrition program in Nepal: Major nutritional problems, food hygiene and food act
- 8.10 Diarrheal disease control program and nursing responsibilities

9. Leadership and Management

- 9.1 Principles of leadership and management
- 9.2 Concept of authority, power, responsibility and accountability
- 9.3 Change process
- 9.4 Management of resources including human resource management
- 9.5 Health management information system (HMIS)
- 9.6 Process and tools of supervision
- 9.7 Management of budget
- 9.8 Management of disaster /emergency situation and preparation of hospital for disaster management (pre, during, and post)

10. Nursing Research

- 10.1 Purpose and Significance of research in Nursing
- 10.2 Research process
- 10.3 Principles, purposes and components of research proposal
- 10.4 Principles and components of a research report
- 10.5 Basic statistics in research: Graphic presentation of data, Frequency distribution, measures of central tendency and measures of variability

यस पेशा सम्बन्धी विषयको पाठ्यक्रमका एकाईहरुबाट सोधिने प्रश्नहरुको संख्या निम्नानुसार हुनेछ ।

एकाइ नं.	अङ्गभार	बहुवैकल्पिक प्रश्न	छोटो उत्तर प्रश्नको	लामो उत्तर प्रश्नको	
(Unit No.)	(Weightage)	(MCQs) को संख्या	संख्या	संख्या	
٩	२०	90			
२	70	[9			
3	3 0	90			
8	43	19		३ प्रश्न x १० अङ्	
ሂ			६ प्रश्न X ५ अङ्		
Ę	३४	१४	५ प्ररंग 🛧 र अङ	र प्रशा A (० जड	
૭					
5					
9	9 ሂ	X			
90					
जम्मा	900	४० प्रश्न x १ अङ्ग =	६ प्रश्न X ४ अङ्क =	३ प्रश्न x १० अङ्क	
, "		४० अङ्	३० अङ्	= ३० अङ्ग	

Multiple Choice Sample Questions

	1. To utilize the nursing process, the nurse must	<u>first</u> :	
	a. Write goals for nursing care		
	b. Identify the client's nursing needs		
	c. Gather information about the client		
	d. Prioritize the plan of nursing actions		
	2. The effectiveness of nurse –client communica	tion is bes	st validated by:
	a. Client's feedback		·
	b. Medical assessment		
	c. Health team conferences		
	d. Client's physiologic adaptation		
	3. When a disaster occurs, the nurse may have to	treat ma	ss casualty. In triage the person to be
	cared first would be the one who is:		, , ,
	a. Panic	b.	Depressed
	c. In coma		In euphoria
4.	Elderly people are prone to hip fracture because		1
	a. Carelessness		Fragility of bone
	c. Sedentary lifestyle		Rheumatoid disease
5.	Before giving the drug digoxin to a client, the nu		
	a. Apical heart rate		
	b. Radial pulse in both arms		
	c. Radial pulse on the left side		
	d. Different between apical and radial pulses	S	
6.	The nurse should be aware that many of the		herapeutic agents used in the
	treatment of cancer can cause:		
	a. Leuocytosis		
	b. Bone marrow depression		
	c. Decreased sedimentation rate		
	d. Increased hemoglobin		
7.	The most important electrolyte of intracellular flu	aid is:	
	a. Sodium		Calcium
	c. Chloride	d.	Potassium
8.	The coronary care unit nurse draws an arterial	blood sa	mple to assess for acidosis. A
	normal value of pH of arterial blood is:		•
	a. 7.0	b.	7.30
	c. 7.45	d.	7.60
9.	The nurse understands that a pulmonary embol	ism is a l	east likely complication in the
	postoperative period following:	_	
	a. Hysterectomy	b.	Prostatectomy
	c. Appendectomy	d.	<u> </u>
10). A client with myocardial infarction is admitted	in CCU.	1
	most likely complication for which the nurse sho		
	a. Hypokalemia		Anaphylactic shock
	c. Cardiac arrhythmia		Cardiac enlargement
	•		=

a. In a low Fowler's position b. Supine in the contour position c. In the dorsal recumbent position d. On the opposite side 12. The position in which a client with dyspnea should be placed is: a. Sim's c. Orthopneic d. Trendelenburg 13. A client with fractured ribs is prone to develop: a. Scoliosis c. Obstructive lung disease d. Herniation of the diaphragm 14. In a client with diabetic ketoacidosis, the insulin that would be administered is: a. NPH c. Globulin d. Protamine zinc 15. Following abdominal surgery a client complaints of pain. The first action by the nurse should be to: a. Reposition the client b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position c. Lateral position d. Semi-fowler's position c. Lateral position d. Semi-fowler's position d. Semi-fowler's position c. Lateral position d. Semi-fowler's position d. Hyperkalemia 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease d. Kidney dysfunction	11. When obtaining a central venous pressure reading	g the nurse should place the client:
c. In the dorsal recumbent position d. On the opposite side 12. The position in which a client with dyspnea should be placed is: a. Sim's b. Supine c. Orthopneic d. Trendelenburg 13. A client with fractured ribs is prone to develop: a. Scoliosis c. Obstructive lung disease d. Herniation of the diaphragm 14. In a client with diabetic ketoacidosis, the insulin that would be administered is: a. NPH b. Regular c. Globulin d. Protamine zinc 15. Following abdominal surgery a client complaints of pain. The first action by the nurse should be to: a. Reposition the client b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position c. Lateral position d. Semi-fowler's position d. Semi-fowler's position c. Lateral position d. Semi-fowler's position d. Semi-fowler's position d. Hyperkalemia 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	a. In a low Fowler's position	
d. On the opposite side 12. The position in which a client with dyspnea should be placed is: a. Sim's c. Orthopneic d. Trendelenburg 13. A client with fractured ribs is prone to develop: a. Scoliosis b. Pneumothorax c. Obstructive lung disease d. Herniation of the diaphragm 14. In a client with diabetic ketoacidosis, the insulin that would be administered is: a. NPH b. Regular c. Globulin d. Protamine zinc 15. Following abdominal surgery a client complaints of pain. The first action by the nurse should be to: a. Reposition the client b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position c. Lateral position d. Semi-fowler's position c. Lateral position d. Semi-fowler's position d. Hyperkalemia 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	b. Supine in the contour position	
12. The position in which a client with dyspnea should be placed is: a. Sim's b. Supine c. Orthopneic d. Trendelenburg 13. A client with fractured ribs is prone to develop: a. Scoliosis c. Obstructive lung disease d. Herniation of the diaphragm 14. In a client with diabetic ketoacidosis, the insulin that would be administered is: a. NPH c. Globulin d. Protamine zinc 15. Following abdominal surgery a client complaints of pain. The first action by the nurse should be to: a. Reposition the client b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	c. In the dorsal recumbent position	
a. Sim's c. Orthopneic d. Trendelenburg 13. A client with fractured ribs is prone to develop: a. Scoliosis c. Obstructive lung disease d. Herniation of the diaphragm 14. In a client with diabetic ketoacidosis, the insulin that would be administered is: a. NPH b. Regular c. Globulin d. Protamine zinc 15. Following abdominal surgery a client complaints of pain. The first action by the nurse should be to: a. Reposition the client b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position c. Lateral position d. Semi-fowler's position c. Lateral position d. Semi-fowler's position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	d. On the opposite side	
c. Orthopneic 13. A client with fractured ribs is prone to develop: a. Scoliosis b. Pneumothorax c. Obstructive lung disease d. Herniation of the diaphragm 14. In a client with diabetic ketoacidosis, the insulin that would be administered is: a. NPH c. Globulin d. Protamine zinc 15. Following abdominal surgery a client complaints of pain. The first action by the nurse should be to: a. Reposition the client b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites c. Hypertension d. Hyperkalemia 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	12. The position in which a client with dyspnea shou	ld be placed is:
13. A client with fractured ribs is prone to develop: a. Scoliosis b. Pneumothorax c. Obstructive lung disease d. Herniation of the diaphragm 14. In a client with diabetic ketoacidosis, the insulin that would be administered is: a. NPH b. Regular c. Globulin d. Protamine zinc 15. Following abdominal surgery a client complaints of pain. The first action by the nurse should be to: a. Reposition the client b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites c. Hypertension d. Hyperkalemia 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	a. Sim's	b. Supine
a. Scoliosis c. Obstructive lung disease d. Herniation of the diaphragm 14. In a client with diabetic ketoacidosis, the insulin that would be administered is: a. NPH c. Globulin d. Protamine zinc 15. Following abdominal surgery a client complaints of pain. The first action by the nurse should be to: a. Reposition the client b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	c. Orthopneic	d. Trendelenburg
c. Obstructive lung disease 14. In a client with diabetic ketoacidosis, the insulin that would be administered is: a. NPH b. Regular c. Globulin d. Protamine zinc 15. Following abdominal surgery a client complaints of pain. The first action by the nurse should be to: a. Reposition the client b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position c. Lateral position for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	13. A client with fractured ribs is prone to develop:	
14. In a client with diabetic ketoacidosis, the insulin that would be administered is: a. NPH b. Regular c. Globulin d. Protamine zinc 15. Following abdominal surgery a client complaints of pain. The first action by the nurse should be to: a. Reposition the client b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	a. Scoliosis	b. Pneumothorax
a. NPH c. Globulin d. Protamine zinc 15. Following abdominal surgery a client complaints of pain. The first action by the nurse should be to: a. Reposition the client b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension d. Hyperkalemia 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	c. Obstructive lung disease	d. Herniation of the diaphragm
c. Globulin d. Protamine zinc 15. Following abdominal surgery a client complaints of pain. The first action by the nurse should be to: a. Reposition the client b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	14. In a client with diabetic ketoacidosis, the insulin	that would be administered is:
15. Following abdominal surgery a client complaints of pain. The first action by the nurse should be to: a. Reposition the client b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	a. NPH	b. <i>Regular</i>
should be to: a. Reposition the client b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	c. Globulin	d. Protamine zinc
 a. Reposition the client b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing b. Focusing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position b. Supine position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension d. Hyperkalemia 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease 	15. Following abdominal surgery a client complain	ts of pain. The first action by the nurs
b. Monitor the vital signs c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	should be to:	
c. Administer the ordered analgesic d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	a. Reposition the client	
d. Determine the characteristic of pain 16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	b. Monitor the vital signs	
16. When caring for a client with sustained a head injury, the nurse should assess for: a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing b. Focusing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	c. Administer the ordered analgesic	
 a. Decreased carotid pulse b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing b. Focusing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position b. Supine position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension d. Hyperkalemia 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease 	d. Determine the characteristic of pain	
b. Bleeding from the nose c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing c. Swallowing b. Focusing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position b. Supine position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	16. When caring for a client with sustained a head in	jury, the nurse should assess for:
c. Altered level of consciousness d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing b. Focusing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	 a. Decreased carotid pulse 	
d. Absence of deep tendon reflexes 17. A client with dysphagia experiences difficulty in: a. Writing b. Focusing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	b. Bleeding from the nose	
17. A client with dysphagia experiences difficulty in: a. Writing b. Focusing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension d. Hyperkalemia 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	· · · · · · · · · · · · · · · · · · ·	
a. Writing c. Swallowing d. Understanding 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	<u>=</u>	
c. Swallowing 18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	17. A client with dysphagia experiences difficulty in:	:
18. A client has undergone total hip replacement surgery. The nurse should avoid placing him in the: a. Orthopneic position b. Supine position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension d. Hyperkalemia 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	a. Writing	<u>e</u>
him in the: a. Orthopneic position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension d. Hyperkalemia 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	· · · · · · · · · · · · · · · · · · ·	
a. Orthopneic position c. Lateral position d. Semi-fowler's position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension d. Hyperkalemia 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	18. A client has undergone total hip replacement su	argery. The nurse should avoid placing
c. Lateral position 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	him in the:	
 19. The main indication for hemodialysis in a client with chronic renal failure is: a. Ascites b. Acidosis c. Hypertension d. Hyperkalemia 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease 	a. Orthopneic position	<u> </u>
 a. Ascites b. Acidosis c. Hypertension d. Hyperkalemia 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease 		
c. Hypertension d. Hyperkalemia 20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	19. The main indication for hemodialysis in a client	with chronic renal failure is:
20. When planning discharge teaching the nurse should include the potential health problems common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease		
common to that age group. Which of the following should the nurse include in the teaching plan for a young adult? a. Accident prevention b. Eye problem c. Cardiovascular disease	c. Hypertension	d. Hyperkalemia
	common to that age group. Which of the foll teaching plan for a young adult? a. Accident prevention b. Eye problem	<u> </u>

Sample (Long and Short Questions)

- 1. List the common health problem of young adult and short describe of any one common health problem?
- 2. Explain the immediate and subsequent care of the newborn baby in NICU ward?
- 3. What is the meaning of geriatric nursing and why it is important today?
- 4. What is the meaning of reproductive health and explain the major component of reproductive health?
- 5. Explain the common treatment modalities for the psychiatric illnesses?
- 6. State the role of SBA in promoting maternal and newborn health?
- 7. What is meaning of Guillain-Barre Syndrome and explain their clinical manifestation, diagnosis and nursing management? 1+2+2+5
- 8. Explain the cause, signs & symptoms, medical treatment and nursing intervention of spinal cord injury? 2+2+2+4
- 9. Explain the importance of using the Glasgow Coma scale (GCS) in special case of head injury in ITCU?

Practical Examination Scheme

Total 50 marks (Rating scale-30 marks and OSCE-20 marks)

Observation Rating Scale For Practical Examination: Officer Nurse Position

Roll No:	Full Marks-30
Obtained Mark:	Pass Marks-18

Criteria for Evaluation of the Candidate's Clinical Performance

Direction: Each of the qualified candidates from written test will be assigned to take care of a patient in medical/surgical unit. The applicant's performance will be evaluated by using the following criteria.

Key for marking: 0.1 1.2 2.6
Unsatisfactory Satisfactory Outstanding

Gradation of marking may be used anywhere in the above continuum, e.g. 0.5, 1.0 etc.

S. No.	Expected Behavior	Maximum Mark	Obtained Mark
1	Communicates effectively with the patient and family using appropriate verbal and nonverbal means.	2.0	
2	Encourages patient to express his/her feelings.	2.0	
3	Demonstrates skill in assessing the client through history taking and physical examination.	2.0	
	Prepares nursing care plan by prioritizing patient's problems.	2.0	
4	Implements nursing care plan to meet the patient's needs by using available resources.	2.0	
5	Applies knowledge from the physical and social sciences in planning and implementing the care plan.	2.0	
6	Teaches the patient and family for illness prevention and health promotion.	2.0	
7	Takes informed consent before performing a procedure.	2.0	
8	Uses available hospital resources economically.	2.0	
9	Respects the dignity and autonomy of client while providing care to the patient.	2.0	

10	Performs nursing procedures using appropriate technique.	2.0	
11	Leaves the patient in clean and comfortable position after performing the procedure.	2.0	
12	Cleans equipment after use and replaces in appropriate place.	2.0	
13	Reports and records the procedure done including the condition of the patient and his/her reaction to the procedure.	2.0	
14	Accepts constructive feedback positively for improvement.	2.0	
15	Demonstrates professional behavior through neat and calm appearance.	2.0	
	Total	30.0	

Comments:

Signature of Examiner Name:


Date:

OSPE Examination—Model

Roll No.: Full Mark: 20
Date: Pass Mark: 12
Time: 20 minutes Obtained Mark:

Station A -4 marks, 4 minutes time





Station A

1.	mark	1.0
2.	What is the difference in temperature rreading from oral and axillary site?	1.0 mark
3.	What type of fever is revealed in the chart?	1.0 mark
4.	Name one disease in which this type of fever is seen? mark	1.0

Station B- 4 marks, 4 minutes time

Station B

2. What is the route of its administration?	0.5 mark
3. How frequently is it administered?	0.5 mark
4. Name two contraindications for its administration?	1.0 mark
5. Write down three possible side effects of this drug?	1.5 mark


Station C- 4 marks, 4 minutes time



Station C

1.	write down the name of this instrument.	0.5 mark
2.	List its two uses.	1.0 mark
3.	How will you decontaminate it?	1.5 mark
4.	How will you sterilize it?	1.0 mark


Station D -4 marks, 4 minutes time



Station D

I	Label the diagram	2.0 marks
	a b c d	
2	What are the uses of this instrument?	1.0 marks
3	How will you clean this equipment?	1.0 marks

Station E – 4 marks, 4 minutes time



Station E

1.	Name the position in which the patient is placed in the diagram.	0.5 mark
2.	What are the uses of this position?	1.5 mark
3.	What precautions should be taken when the patient is in this position?	1.0 mark
4.	What are the contraindications for this position?	1.0 marks